

# MEGA FORTRIS SMART SECURITY ECOSYSTEM

The future of cargo security is visible.

Powered by  
**gritcargo**

**Contact us today:** ☎ +44 1543 677256 ✉ [sales@megafortris.co.uk](mailto:sales@megafortris.co.uk) 🌐 [www.megafortris.co.uk](http://www.megafortris.co.uk)

PREVENTION • PROTECTION • PEACE OF MIND




# Complete Cargo Security Solutions

Integrated hardware and software enabling proactive decision-making.

Powered by

**gritcargo**



Mega Fortris Smart Security Ecosystem is the **end-to-end visibility platform** for global logistics. Engineered in collaboration with GritCargo, it empowers freight forwarders, exporters, and logistics providers to monitor, manage and move goods more efficiently and securely.

The Mega Fortris Smart Security Ecosystem provides **real-time data, smart sensors and a powerful AI-enabled software platform** to give you **total visibility and control of your assets** from dispatch to delivery.






# Your Window into Every Shipment.

Because control starts with **visibility.**

Smart software and powerful hardware. Giving you full control and peace of mind.

Easy-to-use platform that transform complex cargo data into instant clarity, enabling proactive decision-making and reduces risks.



## Interactive World Map

See your shipments move between cities and across continents with live location tracking.

## Historical Data

Access recorded data from the entire trip: temperature, humidity, tilt/shock, and location. Giving you the tools to review performance and prove compliance.

## Real-Time Logger Integration

Live data on location and cargo conditions to empower proactive decisions when and where it matters.

## Detailed Shipment Cards

Access key details for your shipments in one place.



# What is an RTL?

(Real-Time Logger)

An RTL (Real-Time Logger) is a smart, connected data logger that captures environmental and handling conditions (like temperature, humidity, light, tilt/shock, and location) and transmits them to the cloud via cellular networks.

Unlike traditional “record-only” loggers that must be retrieved and downloaded after delivery, an RTL streams live data at predetermined intervals throughout the journey, so teams can see issues as they occur and act immediately — reroute, notify a 3PL, adjust cooling, or instruct a driver — before quality is compromised.



GPS and Cell Positioning



Temperature and Humidity



Light Exposure



Shock and Tilt Events



2G/4G/5G Global Roaming Sim



Up to 60 or 120-Day Trip Length



12-month Shelf Life Prior to Activation



# How Our Solution Works.

iMSense with GritCargo is a smart security solution that gives you complete visibility over every shipment.

## Activate your RTL

Once activated, your iMSense LCD will light up and you will start receiving live data.

## Attach to Shipment

Using the provided double-sided tape, you can easily secure the iMSense RTL to the last pallet at chest height, facing the doors.

## Track on the Dashboard

Log into the iM Dashboard to monitor the trip live and get alerts when anything happens to your cargo.

## Get Actionable Data

Using the iMSense smart alert system allows you to make real-time corrective actions, ensuring the safety of your cargo and your peace of mind.


## Upon Arrival

Use the reports to assist with QA acceptance or rejection processes, and to collect all available intelligence and analytics.

---

## Why it Matters

For cold chains, fresh produce, pharmaceuticals and fragile goods, minutes matter. Real-time insights prevent losses, streamline compliance, and deliver timely shipments with a verifiable digital audit trail.






# A System Designed to Support Your Needs.

The iM Dashboard delivers clear, transparent shipment information and offers features that streamline processes to enhance your experience:

## Track Shipment by Shipment

Move beyond single-trip devices. Maximise shipment value across a single device lifecycle. iMSense devices are fully charged devices that can track your shipments once they are activated.




Activated once, iMSense can be redeployed across multiple shipments, returning to the RTL pool after each trip until the battery is exhausted.

## Multilingual Support



The default language is English. However, a fully localised Spanish interface is available throughout the dashboard, including tutorials and AI support. Additional language will be added soon.





# iMSense

Support Hub

Powered by  
**gritcargo**



## Local Support Network

iMSense users benefit from a decentralised support service, where local teams are empowered to deliver efficient customer experiences.

Customers receive quicker onboarding, faster account management and more responsive support, as local teams manage these processes directly through our portal. This increased autonomy reduces delays and streamlines the overall experience.

## Efficient Management for High-Volume Shipments

The iM Dashboard enables you to add shipments and RTLs in bulk, allowing for fast and efficient management with minimal upload time.

To simplify monitoring, the dashboard provides full control and visibility over each shipment, along with customisable filters so you can focus on the information most relevant to you.

## 24/7 Support and Guidance

We offer a comprehensive database of support documents and video tutorials to help you use the platform effectively. Please scan the QR code above to access these resources.





PREVENTION · PROTECTION · PEACE OF MIND

[www.megafortris.co.uk](http://www.megafortris.co.uk)

# iMSense Real-Time Loggers

**Your Eyes on Every Shipment.**

iMSense RTLs report directly into the iM Dashboard, enabling real-time alerts at predetermined intervals, route history display and data on cargo locations.

You set the **parameters**. You get the **alerts**. No **blind spots**.



# Why choose iMSense?

Ensure the safety and integrity of your perishable or fragile cargo from Farm to table with iMSense, the ultimate real-time logging solution.

- Monitors and records location, temperature, light, tilt/shock and humidity in real time for perishable or fragile cargo.
- Customisable parameter settings for high or low alerts thresholds.
- No need to open container or vehicle doors to access information in order to make immediate cargo safety decisions.
- 24/7 cloud service to view and analyse data remotely, supported by global SIM coverage.
- Extended battery life: 12-month shelf life rechargeable prior to activation.
- Activated once, iMSense can be redeployed across multiple shipments, returning to the RTL pool after each trip until the battery is exhausted.



Temperature



GPS Positioning



Humidity



Shock Events



Light Exposure



5G Global Roaming



60/120 Day Trip Length



12-month Shelf Life

## Flexible Monitoring

Adjustable trip life and customisable reporting intervals give you full control over how and when data is captured and transmitted.

## Adjustable Trip Life and Reporting Intervals

Choose the monitoring duration that matches your shipment timeline (settable via dashboard):

Up to 60 or 120 days of active monitoring. Each option is optimised with matching data intervals to balance detail and battery life.

# iMSense V5

## Single-Activation Real-Time Logger

Environmental and location monitoring for high-value or at-risk cargo.

| Features                | Specification                                    |
|-------------------------|--------------------------------------------------|
| Use Type                | Single-Activation (Max 120 Days)                 |
| Shelf Life              | 12 Months (Rechargeable prior to activation)     |
| Tilt Measurement        | 3-axis Tilt, 0.1° Resolution                     |
| Temperature Sensor      | Internal (NIST Traceable)                        |
| Temperature Range       | -30°C to +70°C (-22°F to 158°F)                  |
| Temperature Accuracy    | ±0.5°C (-20°C to +40°C); ±1°C otherwise          |
| Humidity Range          | 5% - 95% RH                                      |
| Humidity Accuracy       | ±3% (20% - 80% RH); ±5% otherwise                |
| Resolution              | Temperature: 0.1°C; Humidity: 1% RH              |
| Light Sensor            | 0-52,000 Lux Range (Detects door/carton opening) |
| Memory Capacity         | Max 28,800 readings                              |
| Data Logging Interval   | 10/20/30/60/120 Minutes (Configurable)           |
| Data Reporting Interval | 10/20/30/60/120 Minutes (Configurable)           |





# iMSense V5 Probe

## Single-Activation Real-Time Logger

The iMSense V5 Probe is engineered for cold chain excellence, offering dual-temperature monitoring from -40°C to +80°C externally and -30°C to +70°C internally.

| Features                | Specification                                                                           |
|-------------------------|-----------------------------------------------------------------------------------------|
| Use Type                | Single-Activation (Max 120 Days)                                                        |
| Shelf Life              | 12 Months (Rechargeable prior to activation)                                            |
| Tilt Measurement        | 3-axis Tilt, 0.1° Resolution                                                            |
| Temperature Sensor      | Dual Temperature Internal (NIST Traceable)                                              |
| Temperature Range       | (Internal) -30°C to +70°C (-22°F to 158°F)<br>(External) -40°C to 80°C (-40°F to 176°F) |
| Temperature Accuracy    | ±0.5°C (-20°C to +40°C); ±1°C otherwise                                                 |
| Humidity Range          | 5% - 95% RH                                                                             |
| Humidity Accuracy       | ±3% (20% - 80% RH); ±5% otherwise                                                       |
| Resolution              | Temperature: 0.1°C; Humidity: 1% RH                                                     |
| Light Sensor            | 0-52,000 Lux Range (Detects door/carton opening)                                        |
| Memory Capacity         | Max 28,800 readings                                                                     |
| Data Logging Interval   | 10/20/30/60/120 Minutes (Configurable)                                                  |
| Data Reporting Interval | 10/20/30/60/120 Minutes (Configurable)                                                  |



Environmental Rating: IP64

Cold Chain PDF Report: Available via Gritcargo cloud platform

Dimensions/Weight: 103 x 61.3 x 23 mm / 250 grams

Certifications: FCC, CE, RTCA/DO-160G, UN38.3, RoHS, WEEE, EN12830

Storage Temperature Range: -10°C to +55°C

# iMSense V5 Shock

## Single-Activation Real-Time Logger

Designed for precision shock detection. Featuring millisecond-level sampling and 0.1G accuracy, it tracks 3-axis acceleration, temperature, humidity, light, tilt, and motion.

| Features                | Specification                                                         |
|-------------------------|-----------------------------------------------------------------------|
| Use Type                | Single-Activation (Max 60 Days)                                       |
| Shelf Life              | 12 Months (Rechargeable prior to activation)                          |
| Shock Measurement       | 3-axis Acceleration, 0-27G Range, 0.1G Accuracy, Millisecond Sampling |
| Tilt Measurement        | 3-axis Tilt, 0.1° Resolution                                          |
| Temperature Sensor      | Internal (NIST Traceable)                                             |
| Temperature Range       | -30°C to +70°C (-22°F to 158°F)                                       |
| Temperature Accuracy    | ±0.5°C (-20°C to +40°C); ±1°C otherwise                               |
| Humidity Range          | 5% - 95% RH                                                           |
| Humidity Accuracy       | ±3% (20% - 80% RH); ±5% otherwise                                     |
| Resolution              | Temperature: 0.1°C; Humidity: 1% RH                                   |
| Light Sensor            | 0-52,000 Lux Range (Detects door/carton opening)                      |
| Memory Capacity         | Max 28,800 readings                                                   |
| Data Logging Interval   | 10/20/30/60/120 Minutes (Configurable)                                |
| Data Reporting Interval | 10/20/30/60/120 Minutes (Configurable)                                |



Environmental Rating: IP64

Dimensions/Weight: 103 x 61.3 x 23 mm / 160 grams

Certifications: FCC, CE, RTCA/DO-160G, UN38.3, RoHS, WEEE,

EN12830, 70+ Airlines Approvals

Storage Temperature Range: -10°C to +55°C



# iMLock

## Heavy-Duty Electronic Locking

iMLock is a high-strength, reusable electronic container lock engineered for demanding logistics environments.

- Powered by the iMControl platform and reinforced with heavy duty armor, it delivers real-time visibility, instant tamper detection, and secure remote locking across road, rail, sea and air operations.
- Designed for extreme conditions, iMLock combines LTE-M and NB-IoT connectivity, precision GNSS tracking, and secure BLE access within a rugged IP67-rated enclosure.
- Fully integrated with Mega Fortris Smart Security Ecosystem software and AI, it provides actionable intelligence, operational efficiency, and hardened security from day one.
- iMLock delivers enterprise-grade access control without the cost, infrastructure burden, or complexity of traditional high-security systems. Every shipment secured. Every movement visible. Every operation under control.

| Features              | Specification                                                              |
|-----------------------|----------------------------------------------------------------------------|
| Use Type              | Single-Activation (Max 120 Days)                                           |
| Security Rating       | ISO 17712 "H"-class mechanical strength (high-security and access control) |
| Cable Type            | One sided open / close, braided steel cable                                |
| Min. Tensile Strength | ≈10 kN minimum tensile                                                     |
| Lock Type             | Electronically activated                                                   |
| Tamper Detection      | Cable cut, cable removal                                                   |
| Unlock methods        | Remote (Cellular), Local (BLE and NFC)                                     |
| Cellular              | LTE-M / NB-IOT                                                             |
| BLE                   | BLE 5.x secure pairing                                                     |
| GNSS                  | Location accuracy ≤ 20 m (open sky typical)                                |
| OTA updates           | Supported                                                                  |
| Event Buffer          | ≥500 events                                                                |
| Battery type          | Rechargeable Li-ion                                                        |
| Trip Life             | ≥ 30 days (30-min reporting + daily unlock)                                |
| Charging Interface    | Magnetic Pogo Pin                                                          |
| Operating Temperature | -20°C to +50°C                                                             |
| Storage Temperature   | -30°C to +70°C                                                             |
| Ingress Protection    | IP67                                                                       |
| UV Resistance         | Outdoor rated 3 years                                                      |
| Corrosion Resistance  | Industrial & coastal environments                                          |
| Dimensions            | 190mm x 150mm x 65mm (excl. cable)                                         |
| Weight                | Approx. 650g                                                               |
| Cradle                | Included and required for operation                                        |






# iM App

## Logistics Insights from Anywhere

The iM App brings real-time intelligence directly to operators, managers and field teams. Wherever they are.



Built AI-first, it doesn't just analyse sensor data, shipment flows and environmental signals.



It converts complex data into clean, actionable decisions.



Ask questions in natural language. In your own language.



No reliance on dashboards. No delay between event and response.

## Features



### Reporting and Analysis Tools

- AI-Powered operational briefings
- Environmental trend analysis
- Device battery and health monitoring
- Compliance and audit reporting
- AI Agent ecosystem (coming soon)
- Shipment collaboration chat (coming soon)



### Easy Chat Interface


- Natural Language Interface (multi-language)
- Voice note enabled
- Prioritised, autocreated and smart alerts
- Real-time shipment intelligence
- Role-based intelligence views
- Chat history and insight traceability



Coming Soon

# GritClaw

GritClaw works alongside your operations team, turning your cargo data into action - automatically, securely, and with full accountability.



## Proactive Risk Flagging

Spots exceptions and risks before they escalate, so your team acts on early signals.



## Automated Compliance

Compliance checks, KPI reporting, route audits, and issue follow-ups run continuously.



## Secure & Accountable

Every action is logged, tracked, and auditable. Clear guardrails. Full visibility.



## Seamless Integration

Fits into CRMs, ERPs, TMS, email, and collaboration tools your team already uses.

**It doesn't just show you what's happening.**  
**It takes care of it.**

**gritclaw.ai** GRITCARGO DOES THE WORK. YOU STAY IN CONTROL.



## OUR GLOBAL PRESENCE



### Subsidiaries



#### CORPORATE HEAD OFFICE

##### 1 Mega Fortris Berhad

(Reg. No. 199801004408 (460535-H))  
29 Jalan Anggerik Mokara 31/47,  
Kota Kemuning, Seksyen 31,  
40460 Shah Alam,  
Selangor, MALAYSIA

+60 3 5122 6118  
+60 3 5121 7118  
[www.megafortris.com](http://www.megafortris.com)



#### MALAYSIA

##### 2 Fortrich Manufacturing (M) Sdn. Bhd.

(Reg. No. 200101022456 (558214-U))  
29 Jalan Anggerik Mokara 31/47,  
Kota Kemuning, Seksyen 31,  
40460 Shah Alam,  
Selangor, MALAYSIA

+60 3 5122 6118  
+60 3 5121 7118  
[www.megafortris.com](http://www.megafortris.com)



#### MALAYSIA

##### 3 Mega Fortris Security Bags (Malaysia) Sdn. Bhd.

(Reg. No. 200201003636 (571299-U))  
56 Jalan Anggerik Mokara 31/47,  
Kota Kemuning, Seksyen 31,  
40460 Shah Alam,  
Selangor, MALAYSIA

+60 3 5122 6118  
+60 3 5121 7118  
[www.megafortris.com](http://www.megafortris.com)



#### MALAYSIA

##### 4 Mega Pandai Global Sdn. Bhd.

(Reg. No. 201901033203 (1342533-W))  
29 Jalan Anggerik Mokara 31/47,  
Kota Kemuning, Seksyen 31,  
40460 Shah Alam,  
Selangor, MALAYSIA

+60 3 5122 6118  
+60 3 5121 7118  
[www.megafortris.com](http://www.megafortris.com)



#### MALAYSIA

##### 5 Fortris Analytical Services Sdn. Bhd.

(Reg. No. 202501048152 (1649560-U))  
No. 101, Level 10, Unit 10,  
Menara Perdana, Jalan Gurdwara,  
10300 Penang, MALAYSIA.

+60 4 226 1725  
+60 3 5121 7118  
[www.fortrisanalytical.com](http://www.fortrisanalytical.com)



#### AUSTRALIA

##### 6 Mega Fortris Australia Pty Ltd

Unit 2 / 20 Wilmette Place,  
Mona Vale NSW 2103 AUSTRALIA

**All correspondence to:**  
PO Box 408 Mona Vale NSW 1660  
+61 2 9999 2324  
[www.megafortris.com.au](http://www.megafortris.com.au)



#### DENMARK

##### 7 Mega Fortris (Europe) ApS. Ltd.

Lyngsoe Allé 3, Building 21,  
1st floor, 2970 Hoersholm,  
DENMARK

+45 7023 0104 / +45 3140 7228  
+45 4912 2474  
[mfeuooffice@megafortris.com](mailto:mfeuooffice@megafortris.com)  
[www.megafortris.eu](http://www.megafortris.eu)



#### FRANCE

##### 8 Mega Fortris France SAS

Acticentre, Bât K,  
156 Rue des Farnars,  
59273 Fretin, FRANCE

+33 320 976 425  
+33 320 320 175  
[www.megafortris.fr](http://www.megafortris.fr)



#### HONG KONG

##### 9 Mega Fortris (HK) Limited

Unit C 7/F, Nathan Commercial Bldg,  
430-436 Nathan Road, Kowloon,  
HONG KONG

+852 2322 1171  
+852 2322 1077  
[ic.ku@megafortris.com](mailto:ic.ku@megafortris.com)



#### HUNGARY

##### 10 Mega Fortris HU Kft.

H-1119 Budapest,  
Fehervari ut 83-85,  
HUNGARY

+361 481 0648  
+361 205 5815  
[www.megafortris.hu](http://www.megafortris.hu)



#### NETHERLANDS

##### 11 Mega Fortris BNL B.V.

Laan van Verhof 49,  
2231 BZ Rijnsburg,  
NETHERLANDS

+31 8 5006 5330  
[www.megafortris.nl](http://www.megafortris.nl)



#### NEW ZEALAND

##### 12 Mega Fortris New Zealand Limited

Unit 1, 33 Spartan Road,  
Takanini, Auckland,  
NEW ZEALAND

+64 9 265 0262  
[marketing@megafortris.co.nz](mailto:marketing@megafortris.co.nz)  
[www.megafortris.co.nz](http://www.megafortris.co.nz)





## SINGAPORE

### 13 Mega Fortris (Singapore) Pte Ltd

21 Woodlands Cl,  
#07-01 Primz Bizhub,  
737854 SINGAPORE

☎ +65 6296 1118  
☎ +65 6877 9450  
🌐 [www.megafortris.com.sg](http://www.megafortris.com.sg)



## UNITED ARAB EMIRATES

### 14 Mega Fortris ME FZCO

IT Plaza, Office 908,  
Dubai Silicon Oasis,  
Dubai, UNITED ARAB EMIRATES

☎ +971 (0)4 250834  
🌐 [www.megafortris.ae](http://www.megafortris.ae)



## UNITED KINGDOM

### 15 Mega Fortris (UK) Limited

Unit 18 Cinder Road Zone 3,  
Burntwood Business Park,  
Burntwood, Staffordshire WS7 3FS,  
UNITED KINGDOM

☎ +44 1543 677256  
☎ +44 1543 677259  
🌐 [www.megafortris.co.uk](http://www.megafortris.co.uk)



## UNITED STATES OF AMERICA

### 16 Mega Fortris Americas, Inc.

174 Ridge Road, Suite D,  
Dayton, New Jersey 08810,  
UNITED STATES OF AMERICA

☎ +1 732 230 3015  
☎ +1 732 230 3367  
✉ [claus.holmelund@megafortris.com](mailto:claus.holmelund@megafortris.com)  
🌐 [www.megafortrisusa.com](http://www.megafortrisusa.com)

## Authorized Distributors



## BRAZIL

### 1 Petroplast Indústria de Fitas e Selos Ltda.

☎ +55 11 97507 5639  
✉ [rodrigo@petroplast.com.br](mailto:rodrigo@petroplast.com.br)



## CAMBODIA

### 2 Infinity Seals & Locks Co. Ltd.

☎ +855 96 550 1590  
✉ [jessica@infinity-seals.com](mailto:jessica@infinity-seals.com)  
🌐 [www.infinity-seals.com](http://www.infinity-seals.com)



## COSTA RICA

### 3 Tecnología y Seguridad Logística (T.S.L)

☎ +506 889 26439  
✉ [alex@tsl-ca.com](mailto:alex@tsl-ca.com)  
🌐 [www.tsl-ca.com](http://www.tsl-ca.com)



## ECUADOR

### 4 Gusber S.A.

☎ +593 96 830 2324  
✉ [ventas@gusber.com](mailto:ventas@gusber.com)  
🌐 [www.gusber.com](http://www.gusber.com)



## INDIA

### 5 MegaFortris India Pvt. Ltd.

☎ +91-80-4204 3398  
✉ [sreekumar@bnbinfosys.com](mailto:sreekumar@bnbinfosys.com)



## INDONESIA

### 6 PT Mega Fortris Indonesia

☎ +62 21 723 8322  
✉ [haswin.muhammad@megafortris.com](mailto:haswin.muhammad@megafortris.com)



## JAPAN

### 7 MT Security Japan Co. Ltd.

☎ +8103 5604 5490  
✉ [mts-japan2017@megafortris.com](mailto:mts-japan2017@megafortris.com)



## MEXICO

### 8 Exelia Seguridad

☎ (+55) 5771 9200  
✉ [nmartinez@exelia.com.mx](mailto:nmartinez@exelia.com.mx)  
🌐 [www.exelia.com.mx](http://www.exelia.com.mx)



## MYANMAR

### 9 Myanmar Furness

☎ +951 201068 / +952 2900294  
✉ [petergrfc@gmail.com](mailto:petergrfc@gmail.com)



## PAKISTAN

### 10 Dynamic Seals

☎ +92 21 3459 186 / +92 300 2850 114  
☎ +92 21 3430 401  
✉ [hussain@dynamicseals.com.pk](mailto:hussain@dynamicseals.com.pk)



## PANAMA

### 11 Sistemas Ford S.A.

☎ +507 229 1880  
☎ +1 (786) 347 6249 (USA)  
✉ [ventas@sistemasford.com](mailto:ventas@sistemasford.com);  
[sales@sistemasford.com](mailto:sales@sistemasford.com)



## PERU

### 12 Flink Seguridad S.A.C.

✉ [ventas.sa@megafortris.com](mailto:ventas.sa@megafortris.com)  
🌐 <https://flink.pe/>



## PHILIPPINES

### 13 Mega Fortris Phils., Inc.

☎ +632 812 8940  
☎ +63 2 812 812 8653  
✉ [megafort@pltdtdsl.net](mailto:megafort@pltdtdsl.net)



## SOUTH KOREA

### 14 Seowoo Security Products Co., Ltd.

ATTN : Ms. Miranda Kim  
☎ +82 31 354 4164  
☎ +82 31 354 4165  
✉ [swsp@securityseal.co.kr](mailto:swsp@securityseal.co.kr)  
🌐 [www.securityseal.co.kr](http://www.securityseal.co.kr)



## SPAIN

### 15 Mega Fortris Ibérica, S.L.

☎ +34 607 22 26 90  
✉ [jaime.baucells@megafortris.com](mailto:jaime.baucells@megafortris.com);  
[spain@megafortris.com](mailto:spain@megafortris.com)  
🌐 [www.megafortris.es](http://www.megafortris.es)



## SWEDEN

### 16 Mega Fortris Nordic AB.

☎ +46 42 3009250  
✉ [nordicoffice@megafortris.com](mailto:nordicoffice@megafortris.com)  
🌐 [www.megafortris.se](http://www.megafortris.se)



## TAIWAN

### 17 Vigorus Co. Ltd.

☎ +886 933 350 887  
✉ [vigorus.0401@gmail.com](mailto:vigorus.0401@gmail.com)  
✉ [vigorus.0531@gmail.com](mailto:vigorus.0531@gmail.com)  
🌐 [www.vigorus-tw.com](http://www.vigorus-tw.com)



## TAIWAN

### 18 House Well Enterprise Co., Ltd.

☎ +886-4-23395656  
☎ +886-4-23393535  
✉ [rita@house-well.com.tw](mailto:rita@house-well.com.tw)  
🌐 [www.house-well.com.tw](http://www.house-well.com.tw)



## THAILAND

### 19 MMA Security Seals (Thailand) Co. Ltd.

☎ +66 2 259 71424  
☎ +66 2 259 7145  
✉ [Jenjira.s@megafortris.com](mailto:Jenjira.s@megafortris.com)




## VIETNAM

### 20 Blue Dragon Tsc Co. Ltd.

☎ +84 907 004 018  
✉ [info@bluedragon.vn](mailto:info@bluedragon.vn)  
🌐 [www.bluedragon.vn](http://www.bluedragon.vn)





**Contact us today:** ☎ +44 1543 677256 ✉ [sales@megafortris.co.uk](mailto:sales@megafortris.co.uk) 🌐 [www.megafortris.co.uk](http://www.megafortris.co.uk)

PREVENTION · PROTECTION · PEACE OF MIND

